

CHAMPION WORKSHOP SOLUTIONS



**CHAMPION, YOUR PARTNER
IN LUBRICANTS**



CHAMPION®

RELEASE THE FULL POTENTIAL ¹

BOOST YOUR BUSINESS

The rapidly changing aftermarket needs powerful lubrication. At Champion, we don't just enhance your business performance with our lubricants, our tailored workshop tools are sourced from top quality technical equipment suppliers and are tailored to offer you endless possibilities in releasing your full potential.

Champion continuously pushes the boundaries of your workshop. We offer you storage solutions that guarantee **visibility**, oil service tools that accelerate your **efficiency**, and accessories that upgrade your **performance** even further. Unlock the full potential of your business with our selected workshop tools.

Ready to **step up your game**? Get in touch with your Champion Distributor and uncover how you can upgrade your workshop inside and out with our Starter Kit. Do you want to benefit from a network of professionals and rebrand your business with efficient tools, eye-catching promotional materials and other services? Become a specialized brand ambassador by joining the Champion Service Point network.



STORAGE MEETS VISIBILITY

Store what you want, show what you've got. The Champion storage solutions combine endless storage possibilities with quick and efficient dosage techniques. Use our TUV, StawaR, and U-sign certified storage tools to inventurize your product range in a secure way and find the right oil for every application within seconds.



OIL CABIN

- For 8 x 20L containers and 2 x 60L barrels
- Capacity: 280L
- Incl. 8 x 20 oil taps for 20L containers
- Incl. 2 Hand pumps for 60L barrels
- Incl. ESP-Table: Product overview

Article number: 90740

BARREL CONCEPT

- For 6 x 60L barrels
- Capacity: 360 liters
- Incl. 6 hand pumps for 60L barrels
- For 2 x 205L barrels
- Capacity: 410 liters
- Incl. 2 hand pumps for 205L barrels

Article number: Barrel Concept 60L: 92279

Barrel Concept 205L: 92283



METAL DISPLAY

- 4 shelves for 1L, 4L and 5L packaging

Article number: 90741

20L DISPLAY

- Metal display for 20L, 5L and 1L oil packages
- Incl. 6 x 20 oil taps for 20L containers
- 2 shelves, 3 x 20L packaging per shelf
- 1 flexible top shelf for 1L, 4L or 5L bottles

Article number: 92447



OIL CHANGE EFFICIENCY

Lubricants play an increasingly important role in the way engines react. Combine Champions performant product range with faster and easier oil change equipment to stay ahead of challenging demands.

MOBILE PNEUMATIC OIL PUMP SYSTEM* (60L / 205L)



- Digital hose end meter
- Pneumatic pump 3:1
- Output 12L/min
- Hose, 15m [optional]

* barrel not included

Article number:
 200L with hose reel 15m DE260024
 200L without hose reel DE260025
 60L without hose reel DE260026

MOBILE ELECTRIC OIL PUMP SYSTEM* (205L)



- Digital hose end meter
- Electric pump
- Output 9L/min
- Hose, 4m

* barrel not included

Article number:
 Mobile electric oil pump system DE260027

PUMP STATION* (60L / 205L)



- Digital hose end meter
- Pneumatic pump 3:1
- Hose, 4m

* barrel not included

Article number:
 With pneumatic pump DE120043
 With electronic pump DE120044

MOBILE TRANSMISSION OIL FILLER* (60L)



- Manual Pump
- Optional with pump holder
- Hose, 1,5m

* barrel not included

Article number:
 Mobile transmission oil filler DE120004
 Optional pump holder DE580004

WASTE OIL MANAGER



- 12L adjustable funnel
- 80L container
- Air pressure discharge
- Incl. level indicator
- Incl. multi-part suction probes

Article number:
 Waste oil manager DE260020

GREASE PUMP SYSTEM



- High-pressure hose, 4m
- Pump 50:1
- Grease gun nozzle
- For 18 kg barrel
- For 50 kg barrel

Article number:
 Grease pump system 18kg DE120055
 Grease pump system 50kg DE260405

OIL AND FLUID GREASE GUN



- High-pressure
- Operational pressure to 800 bar

Article number:
 Oil and fluid grease gun DE260465

CH-8200 ATF FLUSHING MACHINE



- Fully automatic
- OEM Champion database
- Incl. standard adapter kit
- Full fleet coverage

Article number:
 CH-8200 ATF Flushing machine 92524
 Adapter Kit - Standard (17pcs) 92525
 Adapter Kit - Extra (13pcs) 92526

CH-8200: UPGRADE YOUR ATF FLUSHING PERFORMANCE

What's efficient and ensures full fleet coverage? The Champion CH-8200 fully automatic ATF Flushing Machine upgrades your workshop in a multitude of ways, improving the efficiency in your business and your ability to service an evolving car fleet using automatic transmissions.

Adding the CH-8200 to your workshop equipment is the way to benefit from the continuously evolving car park. By 2020, 1 out of 4 cars will be equipped with an automatic transmission. These vehicles will require maintenance every 60.000 km, making flushing operations a more important part of your business and opening the door to additional revenue.



CHALLENGE EQUALS OPPORTUNITY

- Zero cross-contamination
- Interchangeable tanks for different ATFs
- Boost mode and dipstick mode for low flowrate and sealed gearboxes
- Automatic flow direction detection
- Full fleet coverage for CVT, DCT and DSG thanks to 30 different connectors

ADAPTER KIT 1 – STANDARD
17 pcs adapter kit

ADAPTER KIT 2 – EXTRA
13 pcs adapter kit

CONNECTED DATABASE

ADAPTER KIT 1 INCLUDED



Upgrade your on board OEM database with the **optional online Champion product range**. Find the right oil for every gearbox within seconds. The web database contains new product updates at all times and is free of charge in the first year of use, allowing you to explore the CH-8200 without boundaries.

FACT:

THE ONLY WAY TO FLUSH SEALED GEARBOXES IS BY DIPSTICK MODE.

TECHNICAL FEATURES CH-8200

TANKS FOR NEW/USED OIL

CAPACITY	25L
WEIGHT MEASUREMENT	SCALE

ADDITIVES CONTAINERS

CAPACITY	500ML
WEIGHT MEASUREMENT	SCALE

HYDRAULIC CIRCUIT

DELIVERY PUMP	10L/MIN SINGLE-STAGE, GEAR PUMP
BOOST PUMP	10L/MIN SINGLE-STAGE, GEAR PUMP
CUBIC CAPACITY	3.6CM ³

NEW OIL FILTER

FILTER	STAINLESS STEEL MESH
SIZE	150µm
RATED PRESSURE	10 BAR

HYDRAULIC FITTINGS

NET LENGTH OF SERVICE HOSES 1 AND 2	3M
LENGTH OF USED OIL DRAIN HOSE	1.5M

USER INTERFACE

DISPLAY	LCD 4.3"
KEYPAD	MEMBRANE
SOFTWARE UPDATING	USB TYPE-A WITH USB 2.0 KEY USB TYPE-B WITH DIRECT CONNECTION TO PC.

FUNCTIONS AND FEATURES

AUTOMATIC CYCLE	AUTOMATIC
FLUSHING - CHARGE ONLY	MANUAL
FLUSHING - DISCHARGE ONLY	MANUAL
AT FLUSHING	MANUAL
HOSE-CLEANING	AUTOMATIC
USED OIL TANK EMPTYING	MANUAL

DIMENSIONS

LXPXH	1200 X 750 X 750MM
LOADLESS WEIGHT	APPROX. 65KG

POWER SUPPLY

FREQUENCY	50-60 HZ
VOLTAGE	230/240 VAC
POWER	500W
OVERCURRENT PROTECTION CIRCUIT WITH RESETTABLE SWITCH	12A
INSTALLATION CATEGORY	II

ENVIRONMENTAL CONDITIONS

OPERATING TEMPERATURE	0-50°C
HUMIDITY	10-90% R.H. (NON CONDENSING)

UPGRADING ACCESSORIES

Champion accessories remove all lubricating boundaries by greatly broadening the range of vehicles you can service. Combine these extensions with the different oil replacement tools in this catalogue and increase business revenue.

OIL FUNNEL / OIL CANNISTER



- 3L oil funnel
- 5L oil cannister with flexible hose

Article number:

Oil cannister	DE260029
Oil funnel	DE260030

DIGITAL OIL GUN



- With digital 5 digit gauge
- Electric pump
- Hose 4m
- Output 9L/min

Article number:

Digital oil gun	DE630001
-----------------	----------

OIL LEVEL METER



- Level meter for 60L and 205L barrels

Article number:

Oil level meter	92469
-----------------	-------

MANUAL / ROTARY PUMP



Article number:

Manual pump	90269
Rotary pump	DE420055

OIL DRIP TRAY 3L/16L



- 3L/16L capacity

Article number:

Oil drip tray 3L	DE260018
Oil drip tray 16L	DE260019

DRUM DOLLY 60L



- Steel drum dolly with 4 wheels
- Capacity: 60L

Article number:

Drum dolly 60L	DE260595
----------------	----------

DRUM DOLLY 205L



- Steel drum dolly with 4 wheels
- Capacity: 205L

Article number:

Drum dolly 205L	DE260359
-----------------	----------

Article Number	Item	Weight [KG]	Dimensions [CM]
90740	Oil Cabin	137	H220xB115xL50
92283	Barrel Concept 205L	103	H195xB131xL81
92279	Barrel Concept 60L	88	H195xB131xL81
90741	Metal Display	31	Hx144xB83xL11
92447	20L Display	36	H180xB78xL17
DE260359	Mobile Pneumatic Oil Pump System [205L]	22	H97xB80xL39
DE260595	Mobile Pneumatic Oil Pump System [60L]	9,30	H98xB48xL48
DE260025	Mobile PNP Oil Pump System [205L]	30,50	H134xB74xL74
DE260026	Mobile PNP Oil Pump System [60L]	20,00	H109xB48xL48
DE260027	Mobile Electric Oil Pump System [205L]	5,00	H96xB80xL39 H42xB29xL23
DE120043	Pneumatic Pump Station	8,00	H127xB30xL15
DE120044	Mobile Electric Oil Pump System [205L]	18,00	H60xB60xL60
DE120004	Mobile Transmission Oil Filler	25,00	H98xB48xL48
DE260020	Waste Oil Manager	33,00	H161xB57xL55
DE120055	Grease Pump System 18KG	22,50	H97xB60xL15
DE260405	Grease Pump System 50KG	38,00	H113xB62xL15
DE260465	Oil and Fluid Grease Gun	1,70	H38,5xB13xL6
92524	CH-8200 ATF Station	65,00	H120xB75xL75
92525	Adapter Kit 'Standard' [17 pcs.]	3,50	H20xB51xL36,6
29526	Adapter Kit 'Extra' [13 pcs.]	3,50	H20xB51xL36,6
DE260029	Oil Cannister 5L	0,40	H30xB20xL21
DE260030	Oil Funnel	0,30	H31xB18xL24
DE630001	Digital Oil Gun	1,50	H70xB9,5xL8
62469	Oil Level Meter	1,00	H12xB8xL4
90269	Manual Pump	2,00	H62xB10xL5
DE260018	Oil Drip Tray 3L	0,40	H16xB31xL24
DE260019	Oil Drip Tray 16L	1,06	H60xB50xL15
DE420055	Rotary Pump	6,60	H144,5xB24xL29
DE260595	Drum Dolly [60L]	9,30	H98xB48xL48
DE260359	Drum Dolly [205L]	22,00	H97xB80xL39
DE120058	Bulk Installation PE-Combi E9 Comfort	N/A	N/A
DE120201	Bulk Installation PE-Combi PNP Comfort	N/A	N/A

Extreme forces, high pressure and increased energy efficiency; today's vehicles are equipped with boundary pushing technologies that call for boundary pushing maintenance by professionals to meet customers' needs. Champion helps you stand out from the competition and offers you the tools necessary to blend high-performing lubricants with the service that goes the extra mile.

Get in touch with your Champion Distributor for more information and learn how we can make your workshop an absolute reference for qualitative service using best-in-class tools and top-market products.


Ready for the next step? Give your whole workshop a Champion makeover inside and out, with our Champion Starter Kit, or join the Champion Service Point network.

Contact your sales representative to release
the full potential of your workshop.

CHAMPION CHEMICALS NV

Georges Gilliotstraat 52
2620 Hemiksem
Belgium
Tel +32 (0) 3 870 00 00
Fax +32 (0) 3 870 00 99
E-mail info@wolfoil.com

WWW.CHAMPIONLUBES.COM



CHAMPION[®]

CHAMPIONLUBES.COM