

Motorcycles Lubricants Catalogue



Let's invent the future





Index

Lubricants at the forefront of innovation	4
■ New packaging	6
■ Racing Rage	8
Smarter Range	10
■ Rider Range	13
Qualifier Range - Maintenance products	15
■ Innovation and technology	18
■ Racing	20
■ Production	22
Lubricants search engine	22
Commercial offices	27

Lubricants at the forefront of innovation

When you choose **Repsol**, you get so much more. Because you have the confidence from a top-level **global multi-energy company** present throughout the energy chain. We're a company that employs more than 24,000 people, and our products are sold in more than 80 countries, reaching 24 million customers. Our crude oil production exceeds 600,000 barrels of oil equivalent per day on average and has one of the most efficient refining systems in Europe. We manage low-emission power generation assets, including photovoltaic and wind energy projects.

We are a large group in continuous transformation and diversification of businesses to **lead the energy transition**, being the first company from the sector to support the Kyoto Protocol, to issue a green bond, and to set the goal of achieving net zero emissions by 2050.



The Repsol Commitment Net Zero Emissions by 2050 To achieve this goal, we are committed to technology and digitalization as fundamental pillars through a **model that integrates all technologies** for decarbonization, and is based on improved efficiency; renewable power generation; products with a low, neutral, or even negative carbon footprint; circular economy; and industrial innovation. That is what has made us leaders in innovation, sustainability, and efficiency, thanks to our cutting-edge projects.

To align ourselves with our zero emission goal we have **redesigned all our packaging, reducing both their weight and volume,** improving their transport efficiency, and **using recycled and more resistant materials.**

With the aim of providing our customers with the best products suited to their needs, we have restructured the motorcycle portfolio.

3 product ranges that facilitate the choice of the lubricant that best suits your needs and 1 maintenance range







SMARTER




RIDER



QUALIFIER


This new structure of products reduces the number of ranges from 6 to 3, and focuses on your needs as a customer

- The RACING line remains the spearhead for the most demanding customers, who seek to push their engines to the limit and enjoy riding their motorcycles to the fullest.
- We created the SMARTER range for customers who rely on their motorcycles as their usual means of transportation and who seek excellent quality to keep their engines in optimal conditions for longer.
- Finally, the RIDER range is designed for those customers who seek products of a very high quality for older vehicles and with all the quarantees that our brand offers.



Compliance with Euro 5 standards

Its studied formula ensures compliance with the strict Euro 5 standard, **reducing emissions and protecting the exhaust-gas treatment system.**



Discover our **new packaging**

Easy pouring

The nozzle has the right length, diameter, and flexibility, adapted to facilitate pouring into the sump mouth and prevent the user from getting their hands dirty. With the nozzle, we have replaced the use of funnels, which lead to contamination.



More sustainable packaging

Made with recycled materials. Our recyclable packaging contributes to circularity, minimizes the use of plastic, and contributes to reducing CO_2 emissions.

Product properties

The new seals and icons communicate the benefits and differential properties of each product.

PERFORM	ANCE		
POWER			_
ACCELERA	TION		•
7,50	ΙД	1 🛇	&&
LUBRICATION	R&D	PASSION	MOTOR OIL

























Greater efficiency

The product occupies less space on shelves and in warehouses.

Innovative and ergonomic line

More modern image and lighter packaging whose ergonomics make it easier to use and hold.

Type of product

To facilitate the identification of the product type, we have used color coding.



Fully Synthetic



Semi Synthetic



Mineral

Product identification

Name of the product and grade of viscosity.

Racing Range

"The leading solution that keeps your passion in motion"

Only a 20-time world champion range on the track can ensure the highest quality for every rider. Choose the winning lubricant that best suits your lifestyle.

This is our most exclusive range of products, at the forefront of technology, especially developed for high-performance motorcycles.


The RACING products are designed by our senior experts at the Technology Lab to offer maximum protection and reliability in the harshest driving conditions. These products are focused on passionate and demanding users, who are not only satisfied with excellent products but who value the high-technology involved in their development.

Various products from this range are used by our Repsol-Honda team riders and they have managed to win awards in official competitions with them, which is a guarantee of success, offering them:

■ Greater oil stability to avoid rust and deposit formation, minimizing pre-ignition.



CHARACTERISTICS



PERFORMANCE

Lubricant that allows you to get the greatest performance out of your motorcycle.

POWER

Fluids optimized for large stroke motorcycles.

ACCELERATION

Fluid that allows high accelerations while protecting the engine at all times.



LUBRICATION

Fluids that ensure correct lubrication, even for high-mileage vehicles.



Designed under the strictest standards at our product development centers.



RACE CAR

Fluids designed for driving in extreme conditions, and especially designed for racino.



MOTOR OIL

Engine lubrication oil.



Allows you to get the greatest performance out of your motorcycle.





Champion lubricant in official competitions.



Lubricant recommended for 2T engines (don't use in 4T engines).



Repsol Honda Team Repsol, official sponsor of the Repsol Honda team.



Lubricant that can be used in 2T motorcycles with TPI technology (Transfer Port Injection).

- **Greater resistance to rust,** maintaining properties better during its service life \rightarrow greater engine life.
- **Greater driving power and coupling to the clutch.** Guarantees the maximum performance of the most powerful engines thanks to the excellent stability of the oil at high temperatures and speeds.

Due to the high quality of these products, they are perfect for any type of motorcycle, environment, and situation.

SPECIFICATIONS AND APPROVALS

RACING RANGE PROD	UCTS		INTERNATIONAL	INTERNATIONAL SPECIFICATIONS		
PRODUCT NAME	GRADE OF VISCOSITY	ТҮРЕ	API	JASO		
Racing 4T	5W-40	Fully synthetic	SN	MA2		
Racing 4T	10W-40	Fully synthetic	SN	MA2		
Racing 4T	10W-50	Fully synthetic	SN	MA2		
Racing 4T	15W-50	Fully synthetic	SN	MA2		
Racing 4T	10W-60	Fully synthetic	SN	MA2		
Racing Off Road 4T	10W-40	Fully synthetic	SN	MA2		
Racing ATV 4T	10W-40	Fully synthetic	SN	MA2		
Racing 2T		100% Éster				
Racing Mix 2T		Synthetic blend	TC	FD		
Racing Off Road 2T		Synthetic blend	TC	FD		

PACKAGING

PRODUCT	208 L DRUM	60 L DRUM	4 L CONTAINER	1 L CONTAINER
Racing 4T 5W-40			✓	✓
Racing 4T 10W-40	✓		✓	✓
Racing 4T 10W-50			✓	✓
Racing 4T 15W-50		✓		✓
Racing 4T 10W-60				✓
Racing Off Road 4T 10W-40			✓	✓
Racing ATV 4T 10W-40				✓
Racing 2T				✓
Racing Mix 2T				✓
Racing Off Road 2T				✓

Smarter Range

"The high-quality lubricant ready to compete in demanding daily life"

Very high-quality lubricants specifically developed for customers who rely on their motorcycles or scooters as their usual means of transportation, whether it be urban or intercity.


Products from the SMARTER range are focused on mobility, and are for utility motorcyclists looking for practicality in driving and fuel economy without sacrificing the high quality and protection of their engines.

With these products, **we guarantee the best feeling of driving comfort possible**, with soft couplings to the clutch that allow strong starts after being stopped, even with motorcycles equipped with DCT systems.

They are also designed to ensure compatibility with any treatment system, especially three-way catalytic converters required to comply with the Euro 5 standards.



CHARACTERISTICS





LUBRICATION

Fluids that ensure correct lubrication, even for high-mileage vehicles.



R&D

Designed under the highest standards at our product development standards.



EMISSION CONTROL

Improves compatibility with catalytic converters, extending their useful life.



MOTOR OIL

Engine lubrication oil.

PROTECTION

Fluids with the highest quality standards that ensure maximum engine protection, incorporating state-of-the-art additives and synthetic bases of the highest quality.



Improves the feeling of comfort when driving and engine power, even in modern DCT and start-stop systems.

LIFESPAN

Improves resistance to degradation that guarantees compliance with the period of time between oil changes.



Ensures optimal response in fast and frequent starts



World Champion
Lubricant
Champion lubricant in
official competitions.



HMEOC High-quality Motorcycle Engine Oil Concept.



Maximum protection Developed for maximum engine protection by our team of development engineers.



Multi motorcycle Lubricants recommended for a large variety of motorcycles.



Especially recommended for V-Twin engines.



EEspecially recommended for "custom" motorcycles.



Especially recommended for 2T engines (don't use in 4T engines).

SPECIFICATIONS AND APPROVALS

SMARTER RANGE PRODUCTS			INTERNATIONAL SPECIFICATIONS		
PRODUCT NAME	GRADE OF VISCOSITY	ТҮРЕ	API	JASO	
Smarter V-Twin Custom 4T	20W-50	Fully synthetic	SN	MA2	
Smarter Scooter 4T	5W-40	Fully synthetic	SN	MA2	
Smarter Synthetic 4T	10W-40	Fully synthetic	SN	MA2	
Smarter Synthetic 4T	10W-50	Fully synthetic	SN	MA2	
Smarter HMEOC 4T	10W-30	Fully synthetic	SL	MA2	
Smarter Matic MB 4T	10W-30	Fully synthetic	SN	МВ	
Smarter Scooter MB 4T	10W-40	Synthetic blend	SL	MB	
Smarter Sport 4T	10W-30	Synthetic blend	SL	MA2	
Smarter Sport 4T	10W-40	Synthetic blend	SL	MA2	
Smarter Sport 4T	15W-50	Synthetic blend	SL	MA2	
Smarter Sport 4T	20W-50	Synthetic blend	SL	MA2	
Smarter V-Twin 4T	20W-50	Mineral	SL	MA2	
Smarter Synthetic 2T		Synthetic blend	TC	FD	
Smarter Scooter 2T		Synthetic blend	TC	FD	

PACKAGING

PRODUCT	208 L DRUM	60 L DRUM	20 L DRUM	4 L CONTAINER	1 L CONTAINER	800 ML CONTAINER	125 MI TUBE
Smarter V-Twin Custom 4T 20W-50	✓	✓			✓		
Smarter Scooter 4T 5W-40	✓	✓	✓		✓		
Smarter Synthetic 4T 10W-40							
Smarter Synthetic 4T 10W-50					✓		
Smarter HMEOC 4T 10W-30	✓		✓	✓	✓		
Smarter Matic MB 4T 10W-30							
Smarter Scooter MB 4T 10W-40					✓	✓	
Smarter Sport 4T 10W-30					✓		
Smarter Sport 4T 10W-40	✓	✓	✓	✓	✓		
Smarter Sport 4T 15W-50		✓			✓		
Smarter Sport 4T 20W-50					✓		
Smarter V-Twin 4T 20W-50					✓		
Smarter Synthetic 2T	✓				✓		✓
Smarter Scooter 2T					✓		✓



Rider Range

"A versatile and accessible lubricant thought by and for Riders"


High-quality mineral and semi-synthetic lubricants that guarantee **optimal engine protection** throughout the whole period between oil changes.

RIDER range lubricants are the best option for customers who seek **accessible products** with the best quality quarantee.

The RIDER range includes High Mileage products optimized for old motorcycles and are **formulated to take the best care of the engine** and transmission of all types of motorcycles, motorcycle-taxis, tuc-tucs, and any other vehicle with a small combustion engine.



CHARACTERISTICS



PROTECTION

Fluids with the highest quality standards that ensure maximum engine protection, incorporating state-of-the-art additives and bases of the highest quality.

LOW OIL CONSUMPTION

Consumption saving.

ROBUSTNESS

Fluids especially designed for severe applications.



LUBRICATION
Fluids that ensure correct
lubrication, even for high-mileage
vehicles.



PRICE Maximum value.



MOTOR OIL
Engine lubrication oil.



Motorcycle-taxi

Especially recommended for three-wheel vehicles such as motorcycle-taxi, tuc-tuc, etc.



21


Lubricant recommended for 2T engines (don't use in 4T engines).

SPECIFICATIONS AND APPROVALS

RIDER RANGE PRODUCTS		TVDE	INTERNATIONAL SPECIFICATIONS		
PRODUCT NAME	GRADE OF VISCOSITY	ТҮРЕ	API	JASO	
Rider 4T	10W-40	Mineral	SL	MA2	
Rider 4T	15W-50	Mineral	SL	MA2	
Rider 4T	20W-50	Mineral	SL	MA2	
Rider Town 4T	20W-50	Mineral	SJ	MA2	
Rider High Mileage 4T	25W-50	Mineral	SL	MA2	
Rider High Mileage 4T	25W-60	Mineral	SG	MA2	
Rider Town 2T		Mineral	TC	FB	

PACKAGING

PRODUCT	1000 L CONTAINER	208 L DRUM	60 L DRUM	20 L DRUM	4 L CONTAINER	1 L CONTAINER	1/2 L CONTAINER	125 ML TUBE
Rider 4T 10W-40		✓			✓	✓		
Rider 4T 15W-50		✓	✓	✓	✓	✓	✓	
Rider 4T 20W-50		✓			✓	✓		
Rider Town 4T 20W-50	~	✓	✓			✓	✓	
Rider High Mileage 4T 25W-50						✓		
Rider High Mileage 4T 25W-60						✓		
Rider Town 2T		✓		✓		✓	✓	✓



Qualifier Range

Maintenance products

The **Repsol Qualifie**r product range includes all products necessary so that you can keep all parts of your motorcycle in perfect conditions.

As bike-aficionados, we know that our motorcycle maintenance needs go beyond just lubricants and we want to cover them **with** quality products to achieve maximum care and protection of your bike.

For that we have an extensive range of products, which we have called Qualifier, with products that range from cleaning your motorcycle such as Qualifier Cleaner & Polish to fluid for motorcycle forks, such as Qualifier Fork Oil.

You can consult the details of this range on the following pages.



CHARACTERISTICS



LUBRICATION

Lubricant used in the maintenance of motorcycle



FORK OIL

A hydraulic oil for motorcycle forks and shock absorbers.



MOTOR OIL

Fluids that ensure correct lubrication, even for high-mileage vehicles.



BRAKE FLUID

Brake fluid.

CLEANER

and pads.



COOLING/ANTIFREEZE

De-greaser for brake discs

Resistant to low temperatures.

BRAKE AND PARTS CONTACT



CLEANER & POLISH

Multi-purpose product for cleaning and polish.



DEGREASER AND ENGINE CLEANER

De-greaser product for metal parts.



SILICONE SPRAY

Polish for rubber and plastic parts.



Developed with the most advanced technologies at the TechLab.



Repsol, official

sponsor of the Repsol Honda team.



Cooling/ Antifreeze.



Lubricant that incorporates PTFE in its composition for a greater resistance to water.

We have a wide range of **specialized products** for each one of the motorcycle parts

FAIRING

Cleaning

Cleaner & Polish, for polishing of surfaces Silicone Spray, to make your motorcycle shiny

ENGINE

Cleaning

Degreaser & Engine Cleaner

CHAIN

Cleaning

Degreaser & Engine Cleaner

Greasing

Chain, multi-purpose Chain Dry, greater protection in wet climates and in road bikes





Transmission

SAE 75W transmission with API GL-4/GL-5 quality for off-road bikes 10W-40 transmission with API SN, JASO MA2 quality 80W-90 transmission with API GL-4 quality

SPECIFICATIONS AND APPROVALS

FORK OIL AND TRANSMISSIONS

PRODUCT NAME	TYPE	QUALITY	DESCRIPTION
Qualifier Fork Oil SAE SW y 10W	Fully synthetic	DIN 51524 PARTE 3 HVLP	A high-performance hydraulic oils for motorcycle forks and shock absorbers.
Qualifier Transmission SAE 75W	Fully synthetic	API GL-4/GL-5	This synthetic oil for motorcycle transmissions has been developed using our racing team's experience.
Qualifier Transmission 10W-40	Fully synthetic	API SL JASO T903:2016 JASO MA2	A lubricating oil formulated to lubricate motorcycles and gearboxes. It has excellent shear stability and ensures that wet clutches operate with perfect slipping control in extreme conditions.
Qualifier Transmission 80W-90	Mineral	API GL-4	This lubricating oil has been formulated to lubricate motorcycle gearboxes.

BRAKE FLUID

PRODUCT NAME	QUALITY	DESCRIPTION
Qualifier Brake Fluid Dot 5.1	UNE 26-409 SUBCLASE A FMVSS 116 DOT 5.1 Y DOT 4 SAE J1703, J1704 ISO 4925	Synthetic brake fluid designed for motorcycles with hydraulic systems that are used in harsh conditions where a quality level of DOT 5.1 or DOT 4 is recommended.
Qualifier Brake Fluid Dot 4	UNE 26-109-88 FMVSS 116 DOT 3 Y DOT 4 SAE J1703, J1704 ISO 4925	Synthetic brake fluid designed for motorcycle hydraulic systems that are used in harsh conditions where a quality level of DOT 4 or DOT 3 is recommended.

SPECIFICATIONS AND APPROVALS

OTHER

PRODUCT NAME	DESCRIPTION
Qualifier Chain Dry	Lubricant containing Teflon that is suitable for use on all types of motorcycle chains. It has been developed to provide maximum protection in the harshest conditions both on the open road and in urban areas.
Qualifier Chain	Aerosol lubricating oil, resistant to water, and capable of working at high temperatures, to keep chains and secondary transmissions in perfect conditions.
Qualifier Brake & Parts Contact Cleaner	De-greaser for brake discs and pads.
Qualifier Cleaner & Polish	Cleans and polishes all metallic, fiber, and plastic motorcycle parts. Removes dirt, grease, and insect remains without water.
Qualifier Degreaser & Engine Cleaner	Very powerful de-greaser cleaner for any metal element of the motorcycle.
Qualifier Silicone Spray	Silicon-based cleaning spray to boost the shine of your motorcycle's rubber and plastic parts.



PACKAGING

PRODUCT	1000 L CONTAINER	1 L CONTAINER	1/2 L CONTAINER	400ml CONTAINER	300ml CONTAINER	150 ML TUBE
Qualifier Fork Oil SAE 5W		✓				
Qualifier Fork Oil SAE 10W		✓				
Qualifier Transmission SAE 75W		✓				
Qualifier Transmission 10W-40		✓				
Qualifier Transmission 80W-90	✓	✓				✓
Qualifier Brake Fluid Dot 4			✓			
Qualifier Brake Fluid Dot 5.1			✓			
Qualifier Coolant & Antifreeze 50%		✓				
Qualifier Chain Dry				✓		
Qualifier Chain				✓		
Qualifier Brake & Parts Contact Cleaner					✓	
Qualifier Cleaner & Polish				✓		
Qualifier Degreaser & Engine Cleaner					✓	
Qualifier Silicone Spray				✓		




Find out which new products now replace prior ones in this table

To facilitate the transition between the old range and the new one, you can find a list of corresponding products below.

RACING RAGE	
Moto Racing 4T 5W-40	Racing 4T 5W-40
Moto Racing 4T 10W-40	Racing 4T 10W-40
Moto Racing 4T 10W-50	Racing 4T 10W-50
Moto Racing 4T 15W-50	Racing 4T 15W-50
Moto Racing 4T 10W-60	Racing 4T 10W-60
Moto Off Road 4T 10W-40	Racing Off Road 4T 10W-40
Moto ATV 4T 10W-40	Racing ATV 4T 10W-40
Moto Racing 2T	Racing 2T
Moto Competición 2T	Racing Mix 2T
Moto Off Road 2T	Racing Off Road 2T
SMARTER RANGE	
Repsol V-Twin Custom 4T 20W-50	Smarter V-Twin Custom 4T 20W-50
Moto Scooter 4T 5W-40	Smarter Scooter 4T 5W-40
Moto Sintético 4T 10W-40	Smarter Synthetic 4T 10W-40
Moto Sintético 4T 10W-50	Smarter Synthetic 4T 10W-50
Moto HMEOC 4T 10W-30	Smarter HMEOC 4T 10W-30
Moto Matic MB 4T 10W-30	Smarter Matic MB 4T 10W-30
Moto Scooter MB 4T 10W-40	Smarter Scooter MB 4T 10W-40
Moto Sport 4T 10W-30	Smarter Sport 4T 10W-30
Moto Sport 4T 10W-40	Smarter Sport 4T 10W-40
Moto Sport 4T 15W-50	Smarter Sport 4T 15W-50
Moto Sport 4T 20W-50	Smarter Sport 4T 20W-50
Moto V-Twin 4T 20W-50	Smarter V-Twin 4T 20W-50
Moto Sintético 2T	Smarter Synthetic 2T
Moto Scooter 2T	Smarter Scooter 2T

RIDER RANGE	
Moto Rider 4T 10W-40	Rider 4T 10W-40
Moto Rider 4T 15W-50	Rider 4T 15W-50
Moto Rider 4T 20W-50	Rider 4T 20W-50
Moto Town 4T 20W-50	Rider Town 4T 20W-50
Moto High Mileage 4T 25W-50	Rider High Mileage 4T 25W-50
Moto High Mileage 4T 25W-60	Rider High Mileage 4T 25W-60
Moto Town 2T	Rider Town 2T
QUALIFI	ER RANGE
Moto Fork Oil 5W	Qualifier Fork Oil SAE 5W
Moto Fork Oil 10W	Qualifier Fork Oil SAE 10W
Moto Transmission 75W	Qualifier Transmission SAE 75W
Moto Transmission 10W-40	Qualifier Transmission 10W-40
Moto Transmisiones 80W-90	Qualifier Transmission 80W-90
Moto Dot 4 Brake Fluid	Qualifier Brake Fluid Dot 4
Moto Dot 5.1 Brake Fluid	Qualifier Brake Fluid Dot 5.1
Moto Coolant & Antifreeze 50%	Qualifier Coolant & Antifreeze 50%
Moto Chain Dry	Qualifier Chain Dry
Moto Chain	Qualifier Chain
Moto Brake & Parts Contact Cleaner	Qualifier Brake & Parts Contact Cleaner
Moto Cleaner & Polish	Qualifier Cleaner & Polish
Moto Degreaser & Engine Cleaner	Qualifier Degreaser & Engine Cleaner
Moto Silicone Spray	Qualifier Silicone Spray



Innovation and technology

At Repsol we have the **best experts** to develop the best products for each vehicle, for today and for the future. Our technical department develops all products by meeting the highest quality and innovation criteria. We have **three development centers** (Spain, Mexico and Indonesia) equipped with state-of-the-art equipment to test the lubricants required in each market.

Additionally, we have the **Repsol Technology Lab** research center, one of the most cutting-edge private R&D models in the world, where our researchers continuously improve each product, ensuring the highest efficiency and technical quality and minimizing environmental impact.

A lubricant is an essential product to keep engines in optimal conditions and increasingly requires more technology and complexity in its production due to greater environmental and efficiency requirements. For this reason, during the development we select the best refining processes when manufacturing our own lubricant bases. This, together with the use of top quality additives, allows us to offer products approved by the different car manufacturers, which are a seal of quarantee, quality, and trust.

Our researchers are attentive to any technological developments that contribute to improving our lubricants even more. The aim: **to increasingly protect the engine** and its moving parts (in automobiles and other machines), to improve its performance and efficiency, and to reduce its environmental impact.

At Repsol we use top quality additives in the formulation of our lubricants



The Repsol Technology Lab is one of the most cutting-edge private R&D models in Spain



The **CORPORATE** VENTURING







+100 **INNOVATION** INITIATIVES

fund equipped with

TECHNOLOGY products

million





euros

investments in 17 startups with disruptive technologies

with collaborators and organizations around the world...



invested in 2020



in multiple fields such as:

 Bio and Low Emissions Advanced Mathematics





Advanced Mobility



OPEN INNOVATION

Geophysics

Our open door to innovation in the

New Materials





+ 50.000

SPECIALIZED LABORATORIES

dedicated to innovation throughout the world

Racing

More than 50 years putting our products to the test in



high competition



Production

At Repsol we manufacture and package our lubricants in Spain, Mexico, Singapore, Indonesia, and other secondary production centers, which supply lubricants to our customers worldwide.

To increase production supplies, we have acquired shares in the companies Bardahl, with a plant in Mexico, and United Oil Company, with plants in Indonesia and Singapore. These **partnerships** allow us to strengthen our presence in both Latin America and Southeast Asia, granting us new production capacities that enable supply to more than 80 countries.

We also have laboratories that analyze raw materials, intermediate products and, of course, final products before they are retailed so that they meet Repsol's **strictest standards**, regardless of the manufacturing plant.

At Repsol we have lubricant manufacturing and packaging plants all over the world that supply to more than 80 countries



Main producer countries of Repsol lubricants

Repsol Lubricant Searcher

Access the **Repsol Lubricant** Searcher and find the perfect lubricant for your vehicle



Commercial offices

CENTRAL OFFICES

c/ Méndez Álvaro, 44 28045 Madrid, España Tel: 901 111 999 lubricantes@repsol.com

Asia-Pacific

Víctor Velázquez López 10 Marina Boulevard, #14-01 Marina Bay Financial Centre Tower 2 Singapore 018983 Tel: (+65) 6808 1065 vvelazquezl@repsol.com

Brazil

Silvio Frasson Rua Leopoldo Couto de Magalhães Júnior, 758 11º andar, escritórios 111 e 112, Itaim Bibi 04542-000 São Paulo, Brasil Tel: (+55) 21-25597200 silvio.frasson@repsol.com

France

Laetitia Lecomte
Tel: (+33) 1 46 96 65 23
Mob: (+33) 1 46 96 65 23
Fax: (+33) 1 46 96 66 42
laetitia.lecomte@repsol.com

Peru

Víctor Rivera Bernuy
Av. Víctor Andrés Belaúnde, 147
Edif. Real 5, Piso 3, San Isidro, Lima, Perú
Tel: (+51) 215-6225
Cel: (+51) 939239060
Fax: (+51) 421-8591
v.rivera@repsol.com

Portugal

João Vasques Av. José Malhoa nº 16 B, 8º 1099-091 Lisboa, Portugal Tel: (+351) 213 119 000 sac.rlesa@repsol.com



